



Off-Momentum Effects and Longitudinal Dynamics in Rings

Outline

- Dispersion (Sections 2.5.4,5.4)
- Momentum Compaction (Section 5.4)
- Chromaticity (Section12.2)
- Longitudinal dynamics in rings (Chapter 6)



Equation of Motion

• Go back to full equation of motion for x:

$$x'' + (k_0 + \kappa_{x0}^2) x = \kappa_{x0}(\delta - \delta^2) + (k_0 + \kappa_{x0}^2) x \delta - k_0 \kappa_{x0} x^2 - \frac{1}{2} m(x^2 - y^2) + \dots$$

• We solved the simplest case, the homogeneous differential equation, with all terms on the r.h.s equal to zero

$$x'' + (k_0 + \kappa_{x0}^2)x = 0$$

• And found the solution

$$x(s) = C(s)x_0 + S(s)x'_0$$

x'(s) = C'(s)x_0 + S'(s)x'_0

• We will now look at the highest-order energy (momentum)dependent perturbation term:

$$x'' + (k_0 + \kappa_{x0}^2) x = \kappa_{x0} \delta = \delta / \rho_0(s) \qquad \delta = \frac{p - p_0}{p_0} = \frac{\Delta p}{p_0}$$

Equation of Motion

• The general solution of the equation of motion is the sum of the two principal solutions of the homogeneous part, and a particular solution for the inhomogeneous part, where we call the particular solution $\delta D(s)$

$$x(s) = C(s)x_0 + S(s)x'_0 + \delta D(s)$$

$$x'(s) = C'(s)x_0 + S'(s)x'_0 + \delta D'(s)$$

• where

$$D(s) = \int_{0}^{s} \frac{1}{\rho(\tilde{s})} \left[S(s)C(\tilde{s}) - C(s)S(\tilde{s}) \right] d\tilde{s}$$

- The function D(s) is called the *dispersion function*
- We can write this solution as the sum of two parts:

$$x(s) = x_{\beta}(s) + x_{\delta}(s)$$

- From which we conclude the the particle motion is the sum of the betatron motion (x_β) plus a displacement due to the energy error (x_δ)
- We can write the trajectory above in terms of a 3x3 matrix that includes the off-momentum term

$$\begin{bmatrix} x(s) \\ x'(s) \\ \delta \end{bmatrix} = \begin{bmatrix} C(s) & S(s) & D(s) \\ C'(s) & S'(s) & D'(s) \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} x(s_0) \\ x'(s_0) \\ \delta \end{bmatrix}$$



• No betatron motion: $x_{\beta}=0: x(s)=x_{\delta}=\delta D(s)$



• with betatron motion:



Where Does Dispersion Come From?

• Imagine a particle entering a sector bending magnet with an energy that is a little lower than the design energy:



Where Does Dispersion Come From?

• Use the transport matrix for a sector bending magnet to calculate the dispersion $\int \cos(s/a) = a \sin(s/a)^2$

$$\mathsf{M}_{SB} = \begin{bmatrix} C(s) & S(s) \\ C'(s) & S'(s) \end{bmatrix} = \begin{bmatrix} \cos(s/\rho_0) & \rho_0 \sin(s/\rho_0) \\ -\frac{1}{\rho_0} \sin(s/\rho_0) & \cos(s/\rho_0) \end{bmatrix}$$

$$D(s) = \frac{1}{\rho_0} \int_0^s \left[\rho_0 \sin \frac{s}{\rho_0} \cos \frac{\overline{s}}{\rho_0} - \rho_0 \cos \frac{s}{\rho_0} \sin \frac{\overline{s}}{\rho_0} \right] d\overline{s}$$
$$D(s) = \rho_0 \left(1 - \cos \frac{s}{\rho_0} \right)$$
$$D'(s) = \sin \frac{s}{\rho_0}$$

• Giving the 3x3 transport matrix for a sector bend:

$$\mathsf{M}_{s,\rho} = \begin{bmatrix} \cos\theta & \rho_0 \sin\theta & \rho_0 (1 - \cos\theta) \\ -\frac{1}{\rho_0} \sin\theta & \cos\theta & \sin\theta \\ 0 & 0 & 1 \end{bmatrix} \qquad \qquad \mathsf{M}_{s,0} = \begin{bmatrix} 1 & l & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$

3x3 Transport Matrices for Drifts and Quadrupoles

- Dispersion is generated in bending magnets
- Quadrupoles and drifts are not sources of dispersion, although they influence the dispersion function because the off-momentum trajectory is bent by quadrupoles

$$\mathsf{M}_{\text{drift}} = \begin{bmatrix} 1 & l & 0 \\ 0 & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \qquad \qquad \mathsf{M}_{\text{thin quad}} = \begin{bmatrix} 1 & 0 & 0 \\ -1/f & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix}$$



Propagation of Dispersion

• We can write the coordinate vector as

$$\begin{bmatrix} x(s) \\ x'(s) \\ \delta \end{bmatrix} = \mathsf{M} \begin{bmatrix} x(s_0) \\ x'(s_0) \\ \delta \end{bmatrix} = \mathsf{M} \begin{bmatrix} x_\beta(s_0) + x_\delta(s_0) \\ x'_\beta(s_0) + x'_\delta(s_0) \\ \delta \end{bmatrix}$$

- Suppose we set the starting betatron amplitude and slope equal to zero, that is, make $x_{\beta}{=}0.$

$$\begin{bmatrix} x(s) \\ x'(s) \\ \delta \end{bmatrix} = \begin{bmatrix} \delta D(s) \\ \delta D'(s) \\ \delta \end{bmatrix} = \mathsf{M} \begin{bmatrix} x_{\delta}(s_0) \\ x'_{\delta}(s_0) \\ \delta \end{bmatrix} = \mathsf{M} \begin{bmatrix} \delta D(s_0) \\ \delta D'(s_0) \\ \delta \end{bmatrix}$$

• And dividing by δ we have

$$\begin{bmatrix} D(s) \\ D'(s) \\ 1 \end{bmatrix} = \mathsf{M} \begin{bmatrix} D(s_0) \\ D'(s_0) \\ 1 \end{bmatrix}$$

 This means that if we know the 3x3 transport matrices, and the starting dispersion functions, we can calculate the dispersion anywhere downstream

Periodic Dispersion

- What is the dispersion in a FODO lattice?
- Construct a simple FODO lattice from this sequence ¹/₂Q-Bend- ¹/₂Q ¹/₂Q-Bend-¹/₂ Q Where for simplicity the "Bend" has θ << 1

$$\mathsf{M}_{1/2} = \begin{bmatrix} 1 & 0 & 0 \\ 1/f & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & L & L^2/2\rho \\ 0 & 1 & L/\rho \\ 0 & 0 & 1 \end{bmatrix} \begin{bmatrix} 1 & 0 & 0 \\ -1/f & 1 & 0 \\ 0 & 0 & 1 \end{bmatrix} = \begin{bmatrix} 1-L/f & L & L^2/2\rho \\ -L/f^2 & 1+L/f & \frac{L}{\rho} \left(1+\frac{L}{2f}\right) \\ 0 & 0 & 1 \end{bmatrix}$$

- We look for a periodic solution to the dispersion function in a FODO, that is, a function $\eta(s)$ that repeats itself
- With that constraint, the $\eta(s)$ must reach a point of maximum or minimum at a quadrupole, that is $\eta' = 0$.

$$\begin{bmatrix} \boldsymbol{\eta}^{-} \\ \boldsymbol{0} \\ 1 \end{bmatrix} = \mathsf{M}_{1/2} \begin{bmatrix} \boldsymbol{\eta}^{+} \\ \boldsymbol{0} \\ 1 \end{bmatrix}$$

• Which gives with $\kappa = f / L$

$$\eta^{+} = \frac{f^{2}}{\rho} \left(1 + \frac{L}{2f} \right) = \frac{L^{2}}{2\rho} \kappa \left(2\kappa + 1 \right) \qquad \eta^{-} = \frac{f^{2}}{\rho} \left(1 - \frac{L}{2f} \right) = \frac{L^{2}}{2\rho} \kappa \left(2\kappa - 1 \right)$$



Periodic Dispersion

• Can solve the equation of motion:

$$\eta'' + K\eta = 1/\rho$$

• To arrive at the solution for $\eta(s)$

$$\eta(s) = \frac{\sqrt{\beta(s)}}{2\sin\pi\nu} \int_{s}^{s+L_{p}} \frac{\sqrt{\beta(\sigma)}}{\rho(\sigma)} \cos\nu[\varphi(s) - \varphi(\sigma) + \pi] d\sigma$$

• Finally, the rms beamsize at a given location has two components, one from the betatron motion of the collection of particles, and another from the finite energy spread in the beam:

$$\sigma_u(s) = \sqrt{\varepsilon_u \beta(s) + \eta^2(s) \sigma_\delta^2}$$

• Likewise for the *angular beam divergence*

$$\sigma_{u'}(s) = \sqrt{\varepsilon_u \gamma_u(s) + \eta'^2(s)} \sigma_{\delta}^2$$



- Suppose one location in a lattice has a horizontal beta-function = 20 meters, vertical beta-function = 10 meters, and peak dispersion = 8 meters with $\varepsilon_x = \varepsilon_y = 1$ mm-mrad, and $\sigma_{\delta} = 0.0007$,
 - calculate the horizontal and vertical rms beamsizes



Achromaticity

- Suppose we want to arrange the lattice so that D=D[']=0 at some particular location in the beamline
- Having established D=D[']=0 at some location, the lattice has D=0 everywhere downstream, up to the next bending magnet
- Such a lattice, or section of lattice is termed *achromatic*
- Start with the integral equation for *D(s)*

$$D(s) = \int_{0}^{s} \frac{1}{\rho(\tilde{s})} \left[S(s)C(\tilde{s}) - C(s)S(\tilde{s}) \right] d\tilde{s}$$

• The dispersion and dispersion derivative can be written

$$D(s) = -S(s)I_c + C(s)I_s$$
$$D'(s) = -S'(s)I_c + C'(s)I_s$$

• In terms of the integrals

$$I_{c} = \int_{0}^{s} \frac{1}{\rho_{0}(\tilde{s})} C(\tilde{s}) d\tilde{s} = 0$$
$$I_{s} = \int_{0}^{s} \frac{1}{\rho_{0}(\tilde{s})} S(\tilde{s}) d\tilde{s} = 0$$

Example: Achromatic Bend

 The integrals can be made to vanish in a lattice segment with 360° horizontal phase advance through a FODO section with Bends



Accelerator Lattices: SNS Accumulator Ring



Path length and momentum compaction

• The path length is given by

$$L = \int (1 + \kappa x) ds = \int (1 + \frac{1}{\rho} \delta D(s)) ds \qquad \kappa = 1/\rho$$

• The deviation from the ideal path length is

$$\Delta L = L - L_0 = \delta \int \frac{D(s)}{\rho(s)} ds = \delta L_0 \alpha_c$$

• With the *momentum compaction factor* defined as

$$\alpha_c = \frac{\Delta L / L_0}{\delta}$$

• The travel time around the accelerator is

$$\tau = L/c\beta$$

$$\frac{\Delta\tau}{\tau} = \frac{\Delta L}{L} - \frac{\Delta\beta}{\beta}$$

$$\frac{\Delta\tau}{\tau} = \left(\alpha_c - \frac{1}{\gamma^2}\right)\frac{\Delta p}{p} = \eta_c \frac{\Delta p}{p}$$

• The momentum compaction is η_c and the transition-gamma is

$$\gamma_t = \frac{1}{\sqrt{\alpha_c}}$$

Path length and momentum compaction

$$\frac{\Delta \tau}{\tau} = \eta_c \frac{\Delta p}{p} = \left(\frac{1}{\gamma_t^2} - \frac{1}{\gamma^2}\right) \frac{\Delta p}{p}$$

- Three cases:
 - $\gamma > \gamma_t$, $\eta_c > 0$, and $\Delta \tau$ increases with energy, revolution frequency decreases with energy
 - γ < γ_t , η_c <0, and $\Delta\tau$ decreases with energy, revolution frequency increases with energy
 - $-\gamma = \gamma_{t,i} \Delta \tau = 0$, independent of energy. Such a ring is called *isochronous*
- This behaviour is a result of the fact that the dispersion function causes higher energy particles to follow an orbit with slightly larger radius than the ideal orbit
- All electron rings operate above transition
- Many proton/hadron synchrotrons must pass through transition as the beam is accelerated



Chromaticity

• The focusing strength of a quadrupole is

$$k[\mathrm{m}^{-2}] = 0.3 \frac{\partial B / \partial x[\mathrm{T}]}{cp[\mathrm{GeV}]}$$

- A beam particle with momentum error δ sees a focusing strength slightly different from that of a particle at the design energy

 $k[\text{m}^{-2}] = 0.3 \frac{\partial B / \partial x[\text{T}]}{(1+\delta)cp[\text{GeV}]}$

 In addition to dispersion, we would also expect some effect to the weaked or strengthened quadrupole focusing seen by off-momentum particles



- This is the particle-beam equivalent of the chromatic aberration from light optics, which arises from the dependence of the index of refraction of a glass lens on the wavelength of light.
- Special optical materials can be made in a telescope to make the image *achromatic*



Chromaticity

• Go back to the equations of motion for x and y

$$x'' - (k_0 + \kappa_{y0}^2) x = \kappa_{y0} (\delta - \delta^2) + (k_0 + \kappa_{y0}^2) x \delta - k_0 \kappa_{y0} x^2 - (m(y^2 - y^2) + ...)$$
Quad
$$y'' - (k_0 + \kappa_{y0}^2) y = \kappa_{y0} (\delta - \delta^2) - (k_0 - \kappa_{y0}^2) y \delta + k_0 \kappa_{y0} y^2 + mxy +$$
Sext

- Plug in $x = x_{\beta} + x_{\delta} = x_{\beta} + \delta \eta$ $y = y_{\beta}$
- We arrive at the equations of motion for the betatron amplitude, neglecting terms proportional to δ^2 or x_β^2 or y_β^2

$$x_{\beta}'' + (k + \kappa_{x0}^2) x_{\beta} = (k + \kappa_{x0}^2) x_{\beta} \delta - m x_{\beta} \delta \eta$$
$$y_{\beta}'' - (k + \kappa_{x0}^2) y_{\beta} = -(k + \kappa_{x0}^2) y_{\beta} \delta - m y_{\beta} \delta \eta$$

Modified focusing strength due to momentum error δ

Dipole

• or

$$x_{\beta}'' + Kx_{\beta} = (K - m\eta)\delta x_{\beta}$$
$$y_{\beta}'' - Ky_{\beta} = -(K - m\eta)\delta y_{\beta}$$

Additional focusing from displaced closed orbit in sextupoles due to dispersion



Chromaticity

- In the last lecture we studied gradient errors. This new term is just another type of gradient error, as we anticipated, which will modify the beta-functions and therefore also the betatron tunes of a circular accelerator
- We calculated the betatron tune shift due to gradient errors:

$$\Delta v_x = -\frac{1}{4\pi} \oint \beta_x(\Delta k) ds$$

• With the gradient error (k-m η), this gives

$$\Delta v_x = -\delta \frac{1}{4\pi} \oint \beta_x (k - m\eta) ds = \delta \xi_x$$
$$\Delta v_y = \delta \frac{1}{4\pi} \oint \beta_y (k - m\eta) ds = \delta \xi_y$$

• In an accelerator without sextupoles, or with sextupoles turned off, the resulting chromaticity is that due solely to the slightly different focusing seen by off-energy particles. This value of chromaticity is called the *natural chromaticity, which always has a negative value!*

$$\xi_{x0} = -\frac{1}{4\pi} \oint \beta_x k ds$$
$$\xi_{y0} = \frac{1}{4\pi} \oint \beta_y k ds$$

Why do we care?

- Non-zero chromaticity means that each particle's tune depends on energy. If there is a range in energies, there will be a range in tunes.
 - A beam with a large range in tunes, or *tune-spread* occupies a large area on the *tune-plane*. This opens the possibility of a portion of the beam being placed on a resonance line.
- 2. The value of the chromaticity, as it turns out, is an important variable that determines whether certain intensity-dependent motion is stable or unstable.



How Sextupoles Work

• The field of a sextupole, in the horizontal plane is this:



• The vertical field gradient is:

$$\frac{e}{cp}\frac{\partial B_{y}}{\partial x} = mx = m\delta\eta$$

- Where the coordinates for off-momentum particles (y=0, x=δη) has been taken.
- Therefore, the sextupole provides quadrupole focusing in the horizontal plane, with focusing strength proportional to δ
 - particles with higher momentum are focused in the horizontal plane, and
 - particles with lower momentum are defocusing in the horizontal plane.



 This is exactly what is needed to counteract the dependence of quadrupole focusing on energy.

Chromaticity Correction: Sextupole Magnets

• We can use this feature of the sextupole field to *correct the chromaticity*, that is, make $\xi_x = \xi_y = 0$

$$\xi_x = \xi_{x0} + \frac{1}{4\pi} \oint m\beta_x \eta ds$$

$$\xi_{y} = \xi_{y0} - \frac{1}{4\pi} \oint m\beta_{y} \eta ds$$

 We need at least two sextupole magnets to simultaneously make both chromaticities zero. Let's place two sextupoles in the lattice, with strength m₁, m₂ and length *I*.

$$\xi_{x} = \xi_{x0} + \frac{1}{4\pi} (m_{1}l\eta_{1}\beta_{x1} + m_{2}l\eta_{2}\beta_{x2}) = 0$$

$$\xi_{y} = \xi_{y0} - \frac{1}{4\pi} (m_{1}l\eta_{1}\beta_{y1} + m_{2}l\eta_{2}\beta_{y2}) = 0$$

• Sextupoles placed at locations with large dispersion are more effective. We also need $\beta_x >> \beta_y$ at one location and $\beta_y >> \beta_x$ at another.

Chromaticity in FODO Cells

• The natural chromaticity in one-half FODO cell becomes:

$$\begin{split} \xi_{x0} &= -\frac{1}{4\pi} \oint \beta_x k ds = -\frac{1}{4\pi} \left(\beta^+ \int k^+ ds + \beta^- \int k^- ds \right) \\ \xi_{x0} &= -\frac{1}{4\pi} \left(\beta^+ - \beta^- \right) k ds \end{split}$$

• Giving for a full FODO cell:

$$\xi_{x0} = -\frac{1}{\pi} \frac{1}{\sqrt{\kappa^2 - 1}} = -\frac{1}{\pi} \tan(\varphi_x / 2)$$

- So a FODO channel with 90 degrees phase advance/cell has natural chromaticity $-1/\pi$

Longitudinal Motion in Rings: Phase Stability

- The formulation of longitudinal motion in linacs holds also for rings.
- The synchronous phase is set according to the need to accelerate, and according to the sign of the momentum compaction so that phase stability is achieved





Phase Stability

- Electron storage rings and Synchrotrons: $\pi/2 < \phi_s < \pi$
- Proton storage rings and synchrotrons below transition: $0 < \phi_s < \pi/2$
- Proton synchrotrons may start with $\gamma < \gamma_{tr}$, but since the energy increases, eventually γ crosses the transition-energy to reach $\gamma > \gamma_{tr}$
- This is called "transition-crossing". During this event, the synchronous phase of the RF system must jump by 180° so that the higher energy beam remains phase-stable.
- Proton accelerators often have a "gamma-t jump" system consisting of a set of pulsed-quadrupole magnets that momentarily varies the momentum compaction by perturbing the dispersion function so that the lattice γ_{tr} is pushed below the proton γ .

Longitudinal Equation of Motion: Small Oscillations

- Same analysis that we followed for the linac case can be repeated for the circular case
- Results in the equation of motion for the particle phase:

$$\ddot{\varphi} + \Omega^2 \varphi = 0$$

• With an oscillation frequency given by:

$$\Omega^{2} = \omega_{rev}^{2} \frac{h\eta_{c}e\hat{V}_{0}\cos\varphi_{s}}{2\pi\beta cp}$$

- Where
 - h is the harmonic number, defined by

$$f_{RF} = h f_{rev}$$

– The particle's energy gain in one ring revolution is:

$$e\hat{V_0}\sin\varphi_s$$

 The oscillation frequency is called the synchrotron frequency, and the ratio of synchrotron frequency to revolution frequency is the synchrotron tune

$$v_{s} = \frac{\Omega}{\omega_{rev}}$$



Longitudinal Motion

 This should equal the result we obtained previously for a linac:

$$\omega_l^2 = \frac{\omega^2 q E_0 T \lambda \sin(-\phi_s)}{2\pi m c^2 \gamma_s^3 \beta_s}$$

- We can see that these two are equal by noting that,
 - The convention for linacs is $V_{RF} = V_0 \cos \omega t$
 - Whereas that for rings is $V_{RF} = V_0 \sin \omega t$
 - therefore, $\varphi_s^{\text{ring}} = \varphi_s^{\text{linac}} + \pi/2$, so $\cos(\varphi_s^{\text{ring}}) = \cos(\phi_s^{\text{linac}} + \pi/2) = \sin(-\phi_s^{\text{linac}})$
 - The momentum compaction in the linac is just:

$$\eta_c = \left(\frac{1}{\gamma^2} - \alpha_c\right) = \frac{1}{\gamma^2}$$

- Since $\alpha_c = (\Delta L/L)/(\Delta p/p) = 0$ since there are no bending magnets, and therefore no dispersion in a linac
- The energy gain in one ring revolution is: $e\hat{V_0} = qE_0TC = qE_0T(h\beta\lambda)$
- Putting all this together, we arrive at the same frequency that we calculated for the linac.
- The longitudinal dynamics that we learned in the linac applies directly to the ring case as well
- The various parameters expressed for the ring contain the momentum compaction factor, which is zero in a linac