
Intra-pulse feedback in pulsed RF Linacs


Nate Lipkowitz, SLAC Low-Level RF Systems USPAS January 2017

Pulsed RF Linac



Why do I care?

- SLAC linac (LCLS, FACET): $T_{rep} = 1/120 \text{ pps} = 8.3 \text{ ms}$; $T_{RF} \sim 5 \mu \text{s}$
- Pulse-to-pulse stability dominated by RF jitter of a few stations
- Inter-pulse feedbacks exist, but open loop intra-pulse
- Experiments often limited by longitudinal jitter! Sources for DL2 Energy Jitter (0.042%)



J-PARC Linac

- J-PARC Linac provides a 181-MeV proton beam to the 3-GeV rapidcycling synchrotron (RCS)
- "the maximum RF pulse width is 620 μs ... repetition is 25 pps"

WEPMN039

Proceedings of PAC07, Albuquerque, New Mexico, USA

PERFORMANCE OF J-PARC LINAC RF SYSTEM

T. Kobayashi[#], E. Chishiro, T. Hori, H. Suzuki, M. Yamazaki, JAEA, Tokai, Naka, Ibaraki, Japan S. Anami, Z. Fang, Y. Fukui, M. Kawamura, S. Michizono, K. Nanmo, S. Yamaguchi, KEK, Tsukuba, Ibaraki, Japan





J-PARC Linac RF System

- "... keep the cavity field stability within ±1% in amplitude and ±1° in phase..."
- "... main factors of the instability are the voltage sag and the pulse-to-pulse fluctuation of the klystron DC power supply, the

temperature drift and the beam loading."




Table 1: Main parameters of the HVDCPS


DC voltage output	110 kV (incl. sag drop voltage)
Pulse width	700 µsec
Pulse repetition rate	50 Hz (Max)
Voltage sag	< 5%

Table 2: Main parameters of the 324-MHz klystron

Peak Power	2.5 (max. 3.0) MW
Pulse Width	650 µs
Repetition	50 Hz (25 Hz)
m-Perveance	$1.37 \text{ A/V}^{3/2}$
Gain	50 dB
Efficiency	55 %
Beam Voltage	105 (max. 110) kV
Beam Current	45 (max. 50) A
Mounting Position	Horizontal


J-PARC Station LLRF

$T_{rep} = 20 \text{ ms}; T_{RF} = 700 \mu s$




J-PARC Station LLRF

$T_{rep} = 20 \text{ ms}; T_{RF} = 700 \mu s$




Digital feedback

at SDTL3 with beam feedforward compensation.




3% voltage sag drives 30-deg phase excursion

Analog feedback on cavity signal



$$\tau_{i} = 95 \mu s$$
 $\tau_{C} = 22 \mu s$
 $\tau_{k} = 9.9 \times 10^{-8}$
 $\alpha = 1.2 \times 10^{-14}$
 $T_{d} = 0.8 \mu s$




$$F(s) = Kg \cdot \left(K_p + \frac{K_i}{1 + s\tau_i}\right) \qquad K(s) = \frac{1}{1 + s\tau_k - \alpha s^2}$$

$$H(s) = \frac{A(s)}{1 + A(s)}, \qquad A(s) = G \cdot F(s) \cdot K(s) \cdot \frac{1}{1 + s\tau_c} \cdot e^{-sT_d}$$

T_d limits the feedback response at high ω

Performance Study of Low-Level RF Analog Feedback Control System for J-PARC Linac

T. Kobayashi et al, Proceedings of 2nd Annual Meeting of Particle Accelerator Society of Japan



What about a faster time scale?

PAUL SCHERRER INSTITUT

SwissFEL at PSI


3 μs RF pulse, HV modulator

Analog PI controller


 $T_{d} = 100 \text{ ns}$

"In the lab test a control bandwidth of 1MHz has been measured"

Intra Pulse Phase Control
M. Bronnimann, PSI, LLRF Workshop 2015





PI Controller




"In the lab test a control bandwidth of 1MHz has been measured"

Intra pulse phase correction







measurement	Intra pulse phase	P2p phase jitter
	stv. dev. in degree	in degree
Without IPPC	2.01	0.046
IPPC in open loop	2.03	0.047
IPPC in closed loop	0.37	0.017